## **LISTING OF THE CLAIMS:**

 (Previously presented) A method of managing a system, comprising: determining a period for sending management information requests to the system, wherein management information comprises operational history;

sending a management information request to the system in accordance with the determined period; and

performing management of the system based on a response received from the system, wherein the period for sending the management information request is determined based on an operating status of the system.

- 2. (Original) The method of claim 1, wherein determining a period for sending management information requests includes time-decaying the period if the operating status of the system is determined to be normal.
- 3. (Original) The method of claim 1, wherein determining a period for sending management information requests includes increasing the period by a decay amount if the operating status of the system is determined to be normal.
- 4. (Original) The method of claim 1, wherein determining a period for sending management information requests includes reducing the period by a boost amount if the operating status of the system is determined to be other than normal.
- 5. (Original) The method of claim 3, wherein the decay amount is variable.
- 6. (Original) The method of claim 4, wherein the boost amount is variable.
- 7. (Original) The method of claim 1, wherein the operating status of the system is determined based on a value of a predicate function.

- 8. (Previously presented) The method of claim 1, wherein the steps of determining, sending and performing are performed by a specialized management thin server or server appliance.
- (Previously presented) An apparatus for managing a system, comprising: determination means for determining a period for sending management information requests to the system, wherein management information comprises operational history;

sending means for sending management information requests to the system in accordance with the determined period; and

management means for performing management of the system based on the responses received from the system, wherein the period for sending the management information requests is determined based on an operating status of the system.

- 10. (Original) The apparatus of claim 9, wherein the determination means determines a period for sending management information requests by periodically increasing the period by a decay amount if the operating status of the system is determined to be normal.
- 11. (Original) The apparatus of claim 9, wherein the determination means determines a period for sending management information requests by periodically reducing the period by a boost amount if the operating status of the system is determined to be other than normal.
- 12. (Previously presented) The apparatus of claim 10, wherein the decay amount is variable.
- 13. (Previously presented) The apparatus of claim 11, wherein the boost amount is variable.

- 14. (Original) The apparatus of claim 9, wherein the operating status of the system is determined based on a value of a predicate function.
- 15. (Original) The apparatus of claim 9, wherein the apparatus is a management server appliance or thin server.
- 16. (Previously presented) A computer program product in a computer readable medium for managing a system, comprising:

first instructions for determining a period for sending management information requests to the system, wherein management information comprises operational history;

second instructions for sending a management information request to the system in accordance with the determined period; and

third instructions for performing management of the system based on a response received from the system, wherein the period for sending the management information request is determined based on an operating status of the system.

- 17. (Original) The computer program product of claim 16, wherein the first instructions for determining a period for sending management information requests includes instructions for time-decaying the period if the operating status of the system is determined to be normal.
- 18. (Original) The computer program product of claim 16, wherein the first instructions for determining a period for sending management information requests includes instructions for periodically increasing the period by a decay amount if the operating status of the system is determined to be normal.
- 19. (Original) The computer program product of claim 16, wherein the first instructions for determining a period for sending management information requests includes instructions for periodically reducing the period by a boost amount if the operating status of the system is determined to be other than normal.

- 20. (Original) The computer program product of claim 18, wherein the decay amount is variable.
- 21. (Original) The computer program product of claim 19, wherein the boost amount is variable.
- 22. (Original) The computer program product of claim 16, wherein the operating status of the system is determined based on a value of a predicate function.
- 23. (Original) The computer program product of claim 16, wherein the system is one or more of a thin server and a server appliance.
- 24. (Original) The computer program product of claim 23, wherein the computer program product is implemented in a management server appliance or thin server.